

*B-6*

# CATALOGVE of, MOVLDED, & ORNAMENTAL BRICKS



HYDRAVLIC-PRESS  
BRICK, COMPANY

MISSOURI TRUST BUILDING  
SAINT LOUIS

1909

Main 3455

W. Alva Fry.

Digitized by:



ASSOCIATION  
FOR  
PRESERVATION TECHNOLOGY,  
INTERNATIONAL

[www.apti.org](http://www.apti.org)

**BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

**NATIONAL  
BUILDING  
ARTS  
CENTER**

<http://web.nationalbuildingarts.org>

Wm. John Kemp



HYDRAULIC PRESS BRICK COMPANY

# CATALOGUE OF MOULDED AND ORNAMENTAL BRICKS MADE BY THE HYDRAULIC PRESS BRICK CO.

E. W. BROWN, Chairman of the Board, St. Louis, Mo.

F. C. BROWN, President and Gen. Mgr., St. Louis, Mo.

W. C. BROWN, St. Louis, Mo.

Chas. A. BROWN, Philadelphia, Pa.

Wm. H. BROWN, Cleveland, O.

H. L. BROWN, Kansas City, Mo.

C. H. BROWN, St. Louis, Mo.

H. H. BROWN, St. Louis, Mo.



MAIN OFFICE AND EXHIBIT ROOMS

Missouri Trust Building, - - - - ST. LOUIS

CATALOGUE OF MOLDDED  
AND ORNAMENTAL BRICKS  
MADE BY THE HYDRAULIC  
PRESS BRICK CO.



MISSOURI TARIFF BUILDING  
ST. LOUIS  
MAIN OFFICE AND EXHIBIT ROOMS

# HYDRAULIC-PRESS BRICK COMPANY

## OFFICERS

- H. W. ELIOT - - Chairman of the Board, St. Louis, Mo.
- F. G. MIDDLEKAUFF, President and Gen. Mgr., St. Louis, Mo.
- RALPH SIMPKINS - 1st V. P. and Secretary, St. Louis, Mo.
- GEO. A. BASS - - 2d Vice-President - - Philadelphia, Pa.  
In Charge of Eastern Division
- WM. H. HUNT - - 3d Vice-President - - Cleveland, O.  
In Charge of Ohio Division
- F. L. JOY - - - 4th Vice-President - - Kansas City, Mo.  
In Charge of Western Division
- G. F. BAKER - - Treasurer and Auditor, St. Louis, Mo.
- F. H. CHAPIN - - Sales Manager - - - St. Louis, Mo.



# HYDRAULIC-PRESS BRICK COMPANY

## FACTORIES

### THE HYDRAULIC-PRESS BRICK CO.

Home Office and Main Works	- - - - -	ST. LOUIS, MO.
	OFFICE	WORKS
"ILLINOIS BRANCH"	- Mo. Trust Bldg., St. Louis,	Collinsville, Ill.
"KANSAS CITY BRANCH"	- Kansas City, Mo. -	{ Kansas City Diamond, Mo. Chanute, Kan.
"WASHINGTON BRANCH"	- Washington, D. C. -	Washington, D. C.
"PHILADELPHIA BRANCH"	- Philadelphia, Pa. -	Winslow, N. J.
"CLEVELAND BRANCH"	- Cleveland, O. -	{ Toledo, O. South Park, O. Roseville, O.
"BRAZIL BRANCH"	- - - Brazil, Ind. - - -	Brazil, Ind.
"CHICAGO BRANCH"	- - - Chicago, Ill. - - -	Porter, Ind.
MENOMONIE HYDRAULIC-PRESS BRICK Co.	- - Minneapolis, Minn. -	Menomonie, Wis.
"OMAHA BRANCH"	- - - Omaha, Neb. - - -	Averys, Neb.
KELLEY BRICK & TILE Co.	Duluth, Minn. - - -	Wrenshall, Minn.

## SELLING AGENCIES

NEW YORK, N. Y.	- - - - -	Fredenburg & Lounsbury
MILWAUKEE, WIS.	- - - - -	Ricketson & Schwarz
DETROIT, MICH.	- - - - -	Thomas Bros. & Co.
NEW ORLEANS, LA.	- - - - -	F. Codman Ford
MEMPHIS, TENN.	- - - - -	Memphis Brick Supply Co.
CINCINNATI, O.	- - - - -	L. H. McCammon Bros.
COLUMBUS, O.	- - - - -	LeRoy M. Gaddis
INDIANAPOLIS, IND.	- - - - -	Indianapolis Mortar & Fuel Co.
TOLEDO, O.	- - - - -	Toledo Builders' Supply Co.
DALLAS, TEX.	- - - - -	F. H. Dukes
JACKSON, MISS.	- - - - -	Morrison Bros.
BALTIMORE, MD.	- - - - -	Alfred Tyler
SOUTH BEND, IND.	- - - - -	E. A. Morse
WINNIPEG, MAN.	- - - - -	Dunn Bros. & Co.
EVANSVILLE, IND.	- - - - -	E. F. Sonntag Mantel & Tile Co.
NORFOLK, VA.	- - - - -	G. S. Friebus
SEATTLE, WASH.	- - - - -	F. T. Crowe & Co.



# HYDRAULIC-PRESS BRICK COMPANY

## IMPORTANT INFORMATION

We have equipped our factory with special facilities for the manufacture of ornamental bricks, and from this time on ornamental bricks, *shown in part 2 of this catalogue*, will be *made on orders* and not carried in stock. It has heretofore required from six to seven weeks' time to manufacture moulded bricks. It will now be possible for us to turn them out in from three to four weeks. Our customers are therefore cautioned to place their orders for bricks in part 2 as far in advance as possible, in order to insure the best service. Under this arrangement, the annoyance of having to substitute shapes for those specified by architects will be avoided, and any catalogue shape may be had in any shade and the order in general handled in a much more satisfactory manner if we can have the coöperation of parties ordering the bricks.

Moulded shapes are manufactured for the purpose of increasing the demand and facilitating the use of our straight bricks, and we are therefore compelled to decline to furnish them except to jobs using our face bricks.

We cannot assume the responsibility of estimating quantities from plans or blue prints. All orders should state clearly the exact number of each shape required.

## ARCHES

Necessary details should in all cases accompany orders for arches, and be furnished as far in advance of time the bricks are wanted as possible.

PRICES FOR GRINDING ARCHES CONTAINING NO MOULDED SHAPES

Prices do not include price of brick.


Each Brick or Piece of Brick to be Counted as a Brick.	PRICE PER 100 BRICKS	
	Ground to lay in straight wall.	Ground to lay around segment as in tower or circular bay
Flat Top Arches, red brick - - - - -	\$ 8 00	\$15 00
Flat Top Arches, colors other than red -	10 00	20 00
Semi-Circle or Segment Arches, red brick	4 00	8 00
Semi-Circle or Segment Arches, colors other than red - - - - -	6 50	13 00

Note the following necessary information to be shown on details for arches.

Above prices include packing. Cartage extra.

## SEMI-CIRCLE ARCH

Can Be Made With Moulded Reveal



### GIVE FOLLOWING DETAILS:

*A*—Width of opening.

*B*—Height of centre of arch from spring.

*C*—Radius.

*D*—Depth of reveal or soffit.

*F*—Height of face.

*G*—Depth of reveal when faced on both sides.


If on piers, give width of pier.

Size of joints.

We provide for  $\frac{3}{16}$  inch joints unless otherwise specified.

## SEGMENT ARCH

Can Be Made With Moulded Reveal



GIVE FOLLOWING DETAILS:

*A*—Width of opening.

*C*—Radius.

*D*—Depth of reveal or soffit.

*F*—Height of face.

*G*—Depth of reveal when faced on both sides.

If on piers, give width of pier.


Size of joints.

We provide for  $\frac{3}{16}$  inch joints unless otherwise specified.



## ELLIPTIC ARCH

Can Be Made With Moulded Reveal



GIVE FOLLOWING DETAILS:

A—Width of opening.

B—Height of centre of arch from spring.

C—Radius.

D—Depth of reveal or soffit.

F—Height of face.

G—Depth of reveal when faced on both sides.


If on piers, give width of pier.

Size of joints.

We provide for  $\frac{3}{16}$  inch joints unless otherwise specified.

## GOTHIC ARCH

Can Be Made With Moulded Reveal



GIVE FOLLOWING DETAILS:

*A*—Width of opening.

*B*—Height of centre of arch from spring.

*C*—Radius.

*D*—Depth of reveal or soffit.

*F*—Height of face.

*G*—Depth of reveal when faced on both sides.

If on piers, give width of pier.

• Size of joints.

We provide for  $\frac{3}{16}$  inch joints unless otherwise specified.

## FLAT ARCH

This Arch Cannot Be Made With Moulded Reveal



### GIVE FOLLOWING DETAILS:

*A*—Width of opening.

*B*—Radius.

*C*—Depth of reveal or soffit.

*D*—Height of face.

*E*—Depth of reveal when faced on both sides.

Give camber, if any.

If on piers, give width of pier.


Size of joints.

We provide for  $\frac{3}{16}$  inch joints unless otherwise specified.



## SEGMENT ARCH WITH FLAT TOP

Can Be Made With Moulded Reveal



GIVE FOLLOWING DETAILS:

*A*—Width of opening.

*B*—Radius.

*C*—Depth of reveal or soffit.

*D*—Height of face.

*E*—Depth of reveal when faced on both sides.

If on piers, give width of pier.

Size of joints.

We provide for  $\frac{3}{16}$  inch joints unless otherwise specified.

## SELECTED BRICKS FOR FIREPLACES AND SIMILAR WORK

We will especially select bricks for mantels and work of this nature in either the standard or Roman sizes, and in any shade of brick (except enameled), at a price of \$5 per hundred, packed in barrels and delivered to railway at factory point.

Send for our separate Catalogue of Fireplaces, showing a number of very attractive designs suitable for all requirements.

---

We recommend the use of Sterling Brand Mortar Colors for laying bricks, and carry a stock of red, buff, brown and black, which we can load in cars with bricks if requested.

# HYDRAULIC-PRESS BRICK COMPANY

---

## ENAMELED BRICKS

### DEFINITION OF SPECIAL TERMS

"AMERICAN SIZE."—Same as Standard; approximately  $2\frac{3}{8}$ "x $8\frac{1}{4}$ "x4".

"ENGLISH SIZE."—Approximately 3"x9"x $4\frac{1}{2}$ ".

"ROMAN SIZE."—Approximately  $1\frac{5}{8}$ "x $11\frac{5}{8}$ "x4".


"NORMAN SIZE."—Approximately  $2\frac{1}{4}$ "x $11\frac{7}{8}$ "x4".

"SOAP BRICK."—Approximately  $2\frac{3}{8}$ "x $8\frac{1}{4}$ "x2".


"STRETCHER."—Signifies a brick enameled on face, thus:




"DOUBLE STRETCHER."—Enameled on two faces, thus:



"QUOIN."—A brick enameled on one stretcher face and one end, thus:









## HYDRAULIC-PRESS BRICK COMPANY

---


"RETURN."—A brick enameled on one stretcher face and both ends, thus:



"HEADER."—A brick enameled on one end only, thus:




"DOUBLE HEADER."—A brick enameled on both ends only, thus:



"BULL NOSE."—Is a round-cornered quoin for turning jambs, etc., thus:



Radius of corner may be  $1\frac{1}{2}$ ", 2", 3" or  $4\frac{1}{4}$ ";  $1\frac{1}{2}$ " radius carried in stock.






## HYDRAULIC-PRESS BRICK COMPANY

---


"BULL NOSE STRETCHER."—A round edge brick for sills, window heads, etc., enameled thus:




"SANITARY COVE BASE."—A brick with a concave enameled surface; used in angles between side walls and floors, thus:



"OCTAGON."—A brick made to turn a 45° angle in stretcher course, thus:






## HYDRAULIC-PRESS BRICK COMPANY

---


"ON THE FLAT."—Signifies a brick enameled on its largest surface, thus:



"OVERDIPPED."—Signifies that to provide for a brick that is to be *projected* from the face of the wall; it is to be enameled back on the top far enough to cover the exposed surface, thus:



"UNDERDIPPED."—Is the same as above with the exception that the enamel is to cover the *under* exposed surface.




Underdipped Right Quoin.



Underdipped Left Quoin.

"CAP MOULDING:"








## PART I

### SHAPES CARRIED IN STOCK

---

It is our purpose to carry in stock all the moulded shapes shown in *this part* of our catalogue in all the standard colors which we manufacture.






# HYDRAULIC-PRESS BRICK COMPANY

204-154

45° angle or octagon.



Can be enameled any color.  
For 30° and 60° angles see pages 66 and 67.



212




212

Can be enameled any color.

Can be used to turn any angle for bay windows or for buildings on lots of irregular shape.

216




216

Projection,  $2\frac{3}{8}$ ".

Can be enameled any color.

Starter and Internal Panel mitre-block made.

233





Radius,  $1\frac{1}{2}$ ".

The above are also carried in stock in white enamel.

HYDRAULIC-PRESS BRICK COMPANY

404




Radius,  $1\frac{1}{2}$ ".

The above also carried in stock in white enamel.



404









Showing excellent adaptation for white enamel interior.

# HYDRAULIC-PRESS BRICK COMPANY


---

## 410-412




The above shapes can be enameled any color.

410-412




Projection,  $1\frac{1}{2}$ ".





Projection,  $\frac{3}{4}$ ".

# HYDRAULIC-PRESS BRICK COMPANY

442-463




The above shapes CANNOT be successfully enameled.




No. 463 group can be enameled any color.

442-463



Projection, 1".





Projection, 1¼".



*HYDRAULIC-PRESS BRICK COMPANY*


---

468-480




The above shapes can be enameled in green, brown and transparent ONLY.

468-480




Projection,  $\frac{1}{2}$ ".




*HYDRAULIC-PRESS BRICK COMPANY*

483-751




The above shapes CANNOT be successfully enameled.  
Internal Panel Mitre also made for No. 751.

483-751




Projection,  $\frac{3}{4}$ ".



Projection,  $1\frac{1}{2}$ ".

# HYDRAULIC-PRESS BRICK COMPANY

430-431-432




The above shapes can be enameled any color.



HYDRAULIC-PRESS BRICK COMPANY

---

430-431-432



Projection, 1 3/4".

STATE OF NEW YORK

IN SENATE



ALBANY

1850

## PART II

### SHAPES *NOT* CARRIED IN STOCK

---

Moulded shapes illustrated in this part of catalogue are those for which we have moulds ready for making the bricks, but the bricks themselves will only be made on special order.

The time required for manufacture is from three to four weeks.




201



201

Projection,  $2\frac{5}{8}$ ".  
Belt course return also made.  
Can be enameled any color.

205




205

Projection, 2".  
Can be enameled any color.



218




218

Projection,  $2\frac{1}{8}$ ".  
Can be enameled any color.

HYDRAULIC-PRESS BRICK COMPANY

247-249



Radius,  $1\frac{1}{2}$ ".

Can be enameled any color.

248




248

Radius,  $1\frac{1}{2}$ ".

Can be enameled any color.


HYDRAULIC-PRESS BRICK COMPANY

230-231-232-234



All except No. 234 can be enameled any color.  
Binder, Right and Left Starter made for all the above.


355-357-358



**SHAPE No. 355**  
**Cannot be enameled**

The above are all ROMAN size.  
Can be enameled any color.

255



255


Bead,  $\frac{3}{4}$ " Radius.

CANNOT be enameled.

Starter and Internal mitre-block made.




306



306

Internal panel mitre made.  
CANNOT be successfully enameled.


220



Projection,  $3\frac{1}{8}$ ".

Can be enameled any color.

221



221


Projection,  $3\frac{1}{8}$ ".

String course return also made.

Can be enameled any color.

Nos. 220 and 221 reverse on each other.

225




Projection, 4".

Can be enameled any color.

HYDRAULIC-PRESS BRICK COMPANY

---


465



465

Projection,  $2\frac{1}{4}$ ".  
Can be enameled any color.

510



510


Projection, 3".  
Can be enameled any color.



HYDRAULIC-PRESS BRICK COMPANY

---

511




Projection,  $3\frac{1}{4}$ ".  
Can be enameled any color.

HYDRAULIC-PRESS BRICK COMPANY

---

512



Projection,  $3\frac{1}{4}$ ".

Can be enameled any color.

518



Projection, 2".


CANNOT be successfully enameled.

210



HYDRAULIC-PRESS BRICK COMPANY


185-186



The above shapes can be enameled any color.

223

Bond Brick.





RADIUS BRICKS



No. 262.



No. 263.

STANDARD SIZE.

Note.—These can be made, if desired, in standard length and Roman thickness, and lay with Roman bricks.

No. 235—4¼ in. radius.	No. 267—2 ft. 0 in. radius.
No. 275—5 in. radius.	No. 268—2 ft. 9 in. radius.
No. 279—5½ in. radius.	No. 277—3 ft. 0 in. radius.
No. 260—6 in. radius.	No. 269—3 ft. 6 in. radius.
No. 276—7½ in. radius.	No. 270—4 ft. 6 in. radius.
No. 261—8½ in. radius.	No. 271—6 ft. 0 in. radius.
No. 262—10 in. radius.	No. 272—6 ft. 9 in. radius.
No. 263—13 in. radius.	No. 273—8 ft. 0 in. radius.
No. 264—15 in. radius.	No. 274—10 ft. 0 in. radius.
No. 265—18 in. radius.	No. 278—13 ft. 0 in. radius.
No. 266—20 in. radius.	

Starters are made for Nos. 260, 261 and 263.

ROMAN SIZE.


No. 377—3 ft. 0 in. radius.	No. 378—13 ft. 0 in. radius.
No. 371—6 ft. 0 in. radius.	No. 380—15 ft. 0 in. radius.
No. 373—8 ft. 0 in. radius.	No. 385—20 ft. 0 in. radius.
No. 374—10 ft. 0 in. radius.	

155-156



Can be enameled any color.  
For 45° angle see page 26.




151-152



Can be enameled any color.

For 45° angle see page 26.

157-158




Can be enameled any color.

*HYDRAULIC-PRESS BRICK COMPANY*

---





157-158



Projection, 1 1/4\".


# HYDRAULIC-PRESS BRICK COMPANY

492-499




The above shapes can be enameled in green, brown and transparent glaze ONLY.

492





173-174




The above shapes can be enameled any color.


HYDRAULIC-PRESS BRICK COMPANY

---

173-174




183-184



This combination works three bricks and two joints in height.  
These shapes CANNOT be successfully enameled.

183-184



Projection,  $1\frac{3}{4}"$ .

# HYDRAULIC-PRESS BRICK COMPANY

---

401

Wash Brick.



401


Projection, 4".

Can be enameled any color.

*HYDRAULIC-PRESS BRICK COMPANY*

---

353-356







The above shapes are ROMAN size, 45° angles.  
Can be enameled any color.

# HYDRAULIC-PRESS BRICK COMPANY

---


## 402-413




The above shapes can be enameled any color.



402-413



Projection,  $1\frac{1}{4}$ ".




Projection,  $\frac{3}{4}$ ".

# HYDRAULIC-PRESS BRICK COMPANY

---

405-408



405S




405H




405 Return




405 Internal Return



408S



408H




408R




408  
Internal  
Return

The above shapes can all be enameled in any color.

405-408



Radius,  $2\frac{1}{4}$ ".  
Projection,  $1\frac{3}{4}$ ".



Projection,  $1\frac{1}{8}$ ".

# HYDRAULIC-PRESS BRICK COMPANY


---

406-407




The above shapes can be enameled any color.

406-407







Projection,  $1\frac{1}{2}$ ".



Projection, 1".



# HYDRAULIC-PRESS BRICK COMPANY

411-472



The above shapes can all be enameled any color.




411-472



# HYDRAULIC-PRESS BRICK COMPANY

---

474-477





The above shapes can all be enameled any color.



*HYDRAULIC-PRESS BRICK COMPANY*

---







474-477



HYDRAULIC-PRESS BRICK COMPANY


---

473-520




The above shapes can be enameled any color.

473-520



Projection,  $\frac{7}{8}$ ".




Projection,  $\frac{3}{4}$ ".

HYDRAULIC-PRESS BRICK COMPANY

---

447-451-466




447



451

451R




466


HYDRAULIC-PRESS BRICK COMPANY

---


447-451-466



Projection,  $\frac{5}{8}$ ".



451





466

Projection,  $\frac{1}{2}$ ".

HYDRAULIC-PRESS BRICK COMPANY



---

458-481






The above shapes can be enameled in green, brown and transparent ONLY.

458-481



137-141-142-143







The above can be enameled any color.  
The above shapes are ROMAN thickness, STANDARD length.



HYDRAULIC-PRESS BRICK COMPANY

---

137-141-142-143




All the above are ROMAN thickness and STANDARD length.

HYDRAULIC-PRESS BRICK COMPANY

---

485-486-490-491




The above shapes CANNOT be successfully enameled.  
The above shapes are all ROMAN size.


HYDRAULIC-PRESS BRICK COMPANY

---

485-486-490-491



Projection,  $\frac{5}{8}$ ".



Projection,  $\frac{5}{8}$ ".




Projection,  $\frac{5}{8}$ ".



Projection,  $\frac{3}{8}$ ".

All the above are ROMAN size.

179-180-181-182 GROUPS






The above shapes can be enameled in green, brown and transparent glaze ONLY.


HYDRAULIC-PRESS BRICK COMPANY

---


179-181-182



172 GROUP




The above shapes can be enameled any color.



Projection,  $2\frac{3}{4}$ ".  
Reverses on itself.

304-305






304-305




Projection, 1".

310-311




310-311



Projection,  $1\frac{1}{8}$ ".

312-313




312-313



Projection, 1".

318-319




318-319




Projection,  $1\frac{1}{2}$ ".

320-321






320-321




Projection,  $1\frac{1}{4}$ ".

324-325




324-325



Projection,  $1\frac{1}{4}$ ".


# HYDRAULIC-PRESS BRICK COMPANY

419-420-421




The above shapes can be enameled any color.

419-420-421




Projection,  $\frac{7}{8}$ ".

432-433




CANNOT be enameled.

433-434



Projection,  $1\frac{1}{4}$ ".

501-502



CANNOT be enameled.




500-501-502



Projection,  $2\frac{1}{8}$ ".

# HYDRAULIC-PRESS BRICK COMPANY

506-507




CANNOT be enameled.

*HYDRAULIC-PRESS BRICK COMPANY*

---

506-507




Projection, 1 $\frac{3}{4}$ ".

*HYDRAULIC-PRESS BRICK COMPANY*


---

508-509




Can be enameled any color.

508-509



Projection,  $2\frac{3}{8}$ ".


523-524-525



The above shapes can be enameled any color.


# HYDRAULIC-PRESS BRICK COMPANY

523-524-525



Projection,  $1\frac{3}{8}$ ".

526-527-528




The above shapes can be enameled any color.



HYDRAULIC-PRESS BRICK COMPANY

526-527-528



213



Projection,  $1\frac{1}{4}$ ".  
Can be enameled any color.

PRICE LIST  
OF  
Moulded and Ornamental  
BRICKS



1909



The prices shown herein are for moulded bricks of *any* standard color selected for ordinary building purposes, loaded onto cars at point of shipment.

---

### MANTEL BRICKS

For bricks specially selected for mantel or similar interior work, *double* these prices will be charged, which will include packing and delivery to railway station at point of shipment.

## ENAMELED MOULDED SHAPES

On such shapes in our catalogue as can be successfully enameled, our price will be *double* list prices, loaded on cars at St. Louis factory, except in the following cases:

“Bull Nose” and “Octagon” bricks always \$20.00 per M. more than the price of enameled stretchers.

Bricks ordered by mistake or in excess of requirements will not be taken back.

# HYDRAULIC-PRESS BRICK COMPANY

Shape No.	Page	Price
I37 .....	94 .....	\$ 75.00 per M
I372 .....	94 .....	.30 each
I41 .....	94 .....	75.00 per M
I412 .....	94 .....	.30 each
I42 .....	94 .....	75.00 per M
I422 .....	94 .....	.30 each
I43 .....	94 .....	75.00 per M
I432 .....	94 .....	.30 each
I51 .....	67 .....	50.00 per M
I52 .....	67 .....	50.00 "
I54 .....	26 .....	40.00 "
I55 .....	66 .....	50.00 "
I56 .....	66 .....	50.00 "
I57 .....	69 .....	50.00 "
I58 .....	69 .....	50.00 "
I72 .....	100 .....	65.00 "
I720 .....	100 .....	.50 each
I721 .....	100 .....	.50 "
I722 .....	100 .....	.50 "
I723 .....	100 .....	50.00 per M
I73 .....	72 .....	65.00 "
I731 .....	72 .....	.50 each
I732 .....	72 .....	.50 "
I733 .....	72 .....	150.00 per M
I734 .....	72 .....	65.00 "
I74 .....	72 .....	65.00 "
I741 .....	72 .....	65.00 "
I79 .....	98 .....	150.00 "
I791 .....	98 .....	150.00 "
I792 .....	98 .....	150.00 "
I80 .....	98 .....	150.00 "
I81 .....	98 .....	150.00 "
I811 .....	98 .....	150.00 "
I82 .....	98 .....	150.00 "
I821 .....	98 .....	150.00 "
I822 .....	98 .....	150.00 "
I83 .....	74 .....	120.00 "

# HYDRAULIC-PRESS BRICK COMPANY

Shape No.	Page	Price
1832 .....	74 .....	\$ .75 each
184 .....	74 .....	120.00 per M
1842 .....	74 .....	.75 each
185 .....	63 .....	80.00 per M
186 .....	63 .....	60.00 "
201 .....	45 .....	50.00 "
201 Return .....	.....	.75 each
204 .....	26 .....	40.00 per M
205 .....	46 .....	50.00 "
210 .....	62 .....	70.00 "
212 .....	27 .....	60.00 "
213 .....	128 .....	75.00 "
213 Panel Mitre .....	128 .....	.75 each
216 .....	28 .....	50.00 per M
216 Starter .....	.....	.10 each
216 Mitre Block .....	.....	.40 "
218 .....	47 .....	60.00 per M
220 .....	54 .....	60.00 "
220 Return .....	54 .....	.75 each
221 .....	55 .....	60.00 per M
221 Return .....	.....	.75 each
223 .....	64 .....	40.00 per M
225 .....	56 .....	125.00 "
225 Return .....	56 .....	1.00 each
230 .....	50 .....	40.00 per M
230 Starter .....	50 .....	100.00 "
230 Binder .....	50 .....	100.00 "
231 .....	50 .....	40.00 "
231 Starter .....	50 .....	100.00 "
231 Binder .....	50 .....	100.00 "
232 .....	50 .....	40.00 "
232 Starter .....	50 .....	100.00 "
232 Binder .....	50 .....	100.00 "
233 .....	29 .....	40.00 "
233 Starter .....	29 .....	100.00 "
233 Binder .....	29 .....	100.00 "
234 .....	50 .....	40.00 "



# HYDRAULIC-PRESS BRICK COMPANY

Shape	No.	Page	Price
234	Starter .....	50	\$100.00 per M
234	Binder .....	50	100.00 "
235	.....	65	50.00 "
238	.....	29	50.00 "
243	.....	29	100.00 "
247	.....	48	60.00 "
248	.....	49	60.00 "
249	.....	48	60.00 "
255	.....	52	60.00 "
255	Starter .....		.15 each
255	Panel Block.....		.60 "
260 TO 278	} Radius Brick....	65	50.00 per M
371 TO 385		65	60.00 "
304	.....	102	100.00 "
304	Return .....	102	.75 each
304	Panel Mitre.....	102	.75 "
305	.....	102	100.00 per M
306	.....	53	100.00 "
306	Panel Mitre.....		.60 each
310	.....	104	70.00 per M
310	Return .....	104	.60 each
310	Panel Mitre.....	104	.60 "
311	.....	104	70.00 per M
312	.....	106	70.00 "
312	Return .....	106	.60 each
312	Panel Mitre.....	106	.60 "
313	.....	106	70.00 per M
318	.....	108	70.00 "
318	Return .....	108	.60 each
318	Panel Mitre.....	108	.60 "
319	.....	108	70.00 per M
320	.....	110	70.00 "
320	Return .....	110	.60 each
320	Panel Mitre.....	110	.60 "

# HYDRAULIC-PRESS BRICK COMPANY

Shape No.	Page	Price
321 .....	110 .....	\$ 70.00 per M
324 .....	112 .....	70.00 "
324 Return .....	112 .....	.60 each
324 Panel Mitre.....	112 .....	.60 "
325 .....	112 .....	70.00 per M
353 .....	77 .....	60.00 "
355 .....	51 .....	60.00 "
356 .....	77 .....	60.00 "
357 .....	51 .....	60.00 "
358 .....	51 .....	60.00 "
401 .....	76 .....	50.00 "
401 Return .....	76 .....	.50 each
402 Stretcher .....	78 .....	60.00 per M
402 Header .....	78 .....	50.00 "
402 Return .....	78 .....	100.00 "
404 Stretcher .....	30 .....	50.00 "
404 Header .....	30 .....	40.00 "
404 Return .....	.....	100.00 "
404 X Right or Left..	30 .....	150.00 "
405 Stretcher .....	80 .....	60.00 "
405 Header .....	80 .....	50.00 "
405 Return .....	80 .....	100.00 "
406 Stretcher .....	82 .....	60.00 "
406 Header .....	82 .....	50.00 "
406 Return .....	82 .....	100.00 "
407 Stretcher .....	82 .....	60.00 "
407 Header .....	82 .....	50.00 "
407 Return .....	82 .....	100.00 "
408 Stretcher .....	80 .....	60.00 "
408 Header .....	80 .....	50.00 "
408 Return .....	80 .....	100.00 "
410 Stretcher .....	32 .....	60.00 "
410 Header .....	32 .....	50.00 "
410 Return .....	32 .....	100.00 "
411 Stretcher .....	84 .....	70.00 "
411 Header .....	84 .....	60.00 "
411 Return .....	84 .....	110.00 "

# HYDRAULIC-PRESS BRICK COMPANY

Shape	No.	Page	Price
412	Stretcher	32	\$ 60.00 per M
412	Header	32	50.00 "
412	Return	32	100.00 "
413	Stretcher	78	70.00 "
413	Header	78	60.00 "
413	Return	78	110.00 "
419		114	60.00 "
419	Panel Mitre	114	.60 each
419	Return	114	.60 "
420		114	60.00 per M
421		114	.60 each
430		40	50.00 per M
431		40	50.00 "
432		40	50.00 "
430	Panel Mitre	40	.40 each
430	Return	40	.40 "
430	X	40	60.00 per M
430	X Return	40	.50 each
432		116	60.00 per M
433		116	60.00 "
433	Panel Mitre	116	.50 each
433	Return	116	.50 "
434		117	60.00 per M
442	Stretcher	34	75.00 "
442	Return	34	.15 each
442	Panel Mitre	34	.15 "
447		90	85.00 per M
451		90	85.00 "
451	Return	90	.25 each
458		92	85.00 per M
458	Return	92	.12 each
463	Stretcher	34	60.00 per M
463	Header	34	50.00 "
463	Return	34	100.00 "
465		57	70.00 "
465	Return	57	.75 each
466		90	70.00 per M

# HYDRAULIC-PRESS BRICK COMPANY

Shape No.	Page	Price
468 .....	36 .....	\$ 70.00 per M
468 Return .....	36 .....	.25 each
472 Stretcher .....	84 .....	70.00 per M
472 Header .....	84 .....	60.00 "
472 Return .....	84 .....	110.00 "
473 Stretcher .....	88 .....	80.00 "
473 Header .....	88 .....	70.00 "
473 Return .....	88 .....	110.00 "
474 Stretcher .....	86 .....	80.00 "
474 Header .....	86 .....	70.00 "
474 Return .....	86 .....	110.00 "
477 Stretcher .....	86 .....	80.00 "
477 Header .....	86 .....	70.00 "
477 Return .....	86 .....	110.00 "
480 Stretcher .....	36 .....	75.00 "
480 Return .....	36 .....	.25 each
481 .....	92 .....	85.00 per M
481 Return .....	92 .....	125.00 "
483 Stretcher .....	38 .....	75.00 "
483 Return .....	38 .....	.25 each
483 Panel Mitre .....	38 .....	.25 "
485 .....	96 .....	100.00 per M
486 .....	96 .....	100.00 "
486 Return .....	96 .....	.40 each
490 .....	96 .....	100.00 per M
490 Return .....	96 .....	.40 each
491 .....	96 .....	100.00 per M
491 Return .....	96 .....	.40 each
492 .....	70 .....	85.00 per M
493 .....	70 .....	200.00 "
494 .....	70 .....	85.00 "
495 .....	70 .....	85.00 "
496 .....	70 .....	200.00 "
497 .....	70 .....	200.00 "
498 .....	70 .....	85.00 "
499 .....	70 .....	95.00 "
499 B .....	70 .....	200.00 "

# HYDRAULIC-PRESS BRICK COMPANY

Shape	No.	Page	Price
499	C	70	\$200.00 per M
500		119	70.00 "
501		118	70.00 "
501	Return	118	.60 each
501	Panel Mitre	118	.60 "
502		118	70.00 per M
506		120	100.00 "
506	Return	120	.75 each
506	Panel Mitre	120	.75 "
507		120	100.00 per M
508		122	70.00 "
508	Return	122	.60 each
508	Panel Mitre	122	.60 "
509		122	70.00 per M
510		58	80.00 "
510	Return	58	1.00 each
511		59	80.00 per M
511	Return	59	1.00 each
512		60	70.00 per M
512	Return	60	1.00 each
518		61	80.00 per M
518	Return	61	.60 each
520	Stretcher	88	80.00 per M
520	Header	88	70.00 "
520	Return	88	150.00 "
523		124	65.00 "
524		124	65.00 "
524	Panel Mitre	124	1.00 each
525		124	65.00 per M
526		126	70.00 "
527		126	70.00 "
527	Return	126	.60 each
527	Panel Mitre	126	.60 "
528		126	70.00 per M
751		38	200.00 "
751	Return	38	1.00 each
751	Panel Mitre		.75 "



PRINTED BY  
LAWSON, STACOM-BELL PRINTING CO.  
AT LANSING

